

Poultry Tolerances by Drug (in ppb)

2,2-dichlorovinyl dimethyl phosphate

CFR: 40:180.235

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50(N)			50(N)	50(N)						50(N)				9/9/2009

Dichlorvos may be present as a residue from application as an insecticide on packaged or bagged nonperish-able processed food in an amount in such food not in excess of 50 ppb.

acephate and metabolite(s)

CFR: 40:180.108

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						100				3/20/1998

Tolerances are established for residues of acephate, O,S -dimethyl acetyl phosphoramidothioate, including its metabolites and degradates other than methamidophos, in or on the commodities above. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only acephate, O,S -dimethyl acetyl phosphoramidothioate, in or on the commodity.

acetamiprid

CFR: 40:180.578

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10	50		10							10				8/6/2010

Tolerances are established for residues of the insecticide acetamiprid (1 E)- N -[[6-chloro-3-pyridinyl)methyl]- N' -cyano- N -methylethanimidamide, including its metabolites and degradates, in or on the commodities in the table below as a result of the application of acetamiprid. Compliance with the tolerance levels specified below is to be determined by measuring acetamiprid and (1 E)- N -[[6-chloro-3-pyridinyl)methyl]- N' -cyano- N -ethanimidamide in or on the commodities above.

alachlor and metabolite(s)

CFR: 40:180.249

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	20			20	20						20				ages ago

Tolerances are established for combined residues of alachlor (2-chloro-2',6'-diethyl- N -(methoxymethyl)acetanilide) and its metabolites which can be converted to 2,6-diethylaniline (DEA) or 2-ethyl-6-(1-hydroxyethyl)aniline (1-HEEA) upon basic hydrolysis, calculated as alachlor in or on the raw agricultural commodities above.

amprolium

CFR: 21:556.50

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Chickens		1000	1000	500							4000/8000				7/11/2019
4000 ppb in whole eggs. 8000 ppb in egg yolks.															
Turkeys		1000	1000	500							4000/8000				7/11/2019
4000 ppb in whole eggs. 8000 ppb in egg yolks.															

bacitracin

CFR: 21:556.70

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Chickens						500					500				7/11/2019

The tolerance for residues of bacitracin from zinc bacitracin or bacitracin methylene disalicylate in eggs is 500 ppb.

- ADI: 0.05 mg/kg bwt/day

bacitracin

CFR: 21:556.70

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Turkeys						500					500				7/11/2019

The tolerance for residues of bacitracin from zinc bacitracin or bacitracin methylene disalicylate in eggs is 500 ppb.

- ADI: 0.05 mg/kg bwt/day

Pheasants						500					500				7/11/2019
-----------	--	--	--	--	--	-----	--	--	--	--	-----	--	--	--	-----------

The tolerance for residues of bacitracin from zinc bacitracin or bacitracin methylene disalicylate in eggs is 500 ppb.

- ADI: 0.05 mg/kg bwt/day

Quail						500					500				7/11/2019
-------	--	--	--	--	--	-----	--	--	--	--	-----	--	--	--	-----------

The tolerance for residues of bacitracin from zinc bacitracin or bacitracin methylene disalicylate in eggs is 500 ppb.

- ADI: 0.05 mg/kg bwt/day

bentazon and metabolite(s)

CFR: 40:180.355

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	50						50				3/8/2000

Tolerances are established for the combined residues of the herbicide bentazon (3-isopropyl-1 H -2,1,3-benzothiadiazin-4(3 H)-one-2,2-dioxide) and its metabolite 2-amino- N -isopropyl benzamide (AIBA) in or on the food commodities above.

bifenthrin

CFR: 40:180.442

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	50						50				11/26/1997

boscalid

CFR: 40:180.589

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	200			50	200						20				5/28/2010

Tolerances are established for residues of the fungicide boscalid, including its metabolites and degradates, in or on the commodities listed. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of boscalid, 3-pyridinecarboxamide, 2-chloro- N -(4'-chloro[1,1'-biphenyl]-2-yl), and metabolites 2-chloro- N -(4'-chloro-5-hydroxy-biphenyl-2-yl) nicotinamide and glucuronic acid conjugate of 2-chloro- N -(4'-chloro-5-hydroxy-biphenyl-2-yl) nicotinamide, calculated as the stoichiometric equivalent of boscalid in or on the food commodities above.

broflanilide

CFR: 40:180.714

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	20			20	20						20				12/17/2020

bromoxynil

CFR: 40:180.324

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	300						50				6/1/2011

Tolerances are established for residues of the herbicide bromoxynil, 3,5-dibromo-4-hydroxybenzonitrile, including its metabolites and degradates, in or on the commodities listed. Compliance with the tolerance levels is to be determined by measuring only bromoxynil and its metabolite, 3,5-dibromo-4-hydroxybenzoic acid (DBHA), resulting from application of its octanoic and/or heptanoic acid ester.

carbaryl and metabolite(s)

CFR: 40:180.169

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	5000			5000							500			10/31/2009	7/31/2002

Tolerances are established for residues of the insecticide carbaryl, 1-naphthyl N -methylcarbamate, including its metabolites: 1-naphthol (naphthyl-sulfate); 5,6-dihydrodihydroxycarbaryl; and 5,6-dihydrodihydroxy naphthol, calculated as 1-naphthyl N -methylcarbamate and the free and conjugated residues of carbaryl: 5,6-dihydro-5,6-dihydroxy carbaryl and 5-methoxy-6-hydroxy carbaryl, in or on commodities listed.

carboxin and metabolite(s)

CFR: 40:180.301

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						50				9/27/2006

Tolerances are established for the combined residues of the fungicide carboxin (5,6-dihydro-2-methyl-1,4-oxathiin-3-carboxanilide) and its metabolites determined as aniline and expressed as parent compound, in or on food commodities as listed above.

chlorantranilprole

CFR: 40:180.628

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	200			50	200						1000				9/18/2013

Tolerances are established for residues of the insecticide chlorantranilprole, including its metabolites and degradates, in or on the commodities above. Compliance with the tolerance levels specified below is to be determined by measuring only chlorantranilprole, 3-bromo- N -[4-chloro-2-methyl-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide.

chlorpyrifos

CFR: 40:180.342

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						10			2/28/2022	8/30/2021

180.342 Chlorpyrifos; tolerances for residues. This section and all tolerances contained herein expire and are revoked on February 28, 2022.

chlorpyrifos-methyl and metabolite(s)

CFR: 40:180.419

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	500			500	500						100				9/9/2009

chlortetracycline

CFR: 21:556.150

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Ducks	12000	12000	6000	2000							400				7/11/2019

• ADI: 25 µg/kg bwt/day (for tetracyclines including chlortetracycline, oxytetracycline, and tetracycline)

Chickens	12000	12000	6000	2000							400				7/11/2019
----------	-------	-------	------	------	--	--	--	--	--	--	-----	--	--	--	-----------

• ADI: 25 µg/kg bwt/day (for tetracyclines including chlortetracycline, oxytetracycline, and tetracycline)

Turkeys	12000	12000	6000	2000							400				7/11/2019
---------	-------	-------	------	------	--	--	--	--	--	--	-----	--	--	--	-----------

• ADI: 25 µg/kg bwt/day (for tetracyclines including chlortetracycline, oxytetracycline, and tetracycline)

clethodim

CFR: 40:180.458

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
---------	-----	--------	-------	--------	-----------------	---------------	------	----------	------	----------	-----	-------	------------	-----------------	-----------------

clethodim

CFR: 40:180.458

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	200			200	200						200				4/27/2011

Tolerances are established for residues of the herbicide clethodim, including its metabolites and degradates, in or on the commodities above. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only the sum of clethodim, 2-[(1E)-1-[[[(2E)-3-chloro-2-propenyl]oxy]imino]propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one, and its metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulphoxides and sulphones, calculated as the stoichiometric equivalent of clethodim, in or on the commodity.

clopyralid

CFR: 40:180.431

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	200			200	200						100				8/31/1988

Tolerances are established for residues of the herbicide clopyralid, including its metabolites and degradates, in or on the commodities above from its application in the acid form or in the form of its salts. Compliance with the tolerance levels specified below is to be determined by measuring only clopyralid, (3,6-dichloro-2-pyridinecarboxylic acid), in or on the commodities.

coumaphos

CFR: 21:556.168

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Chickens						1000					100				7/11/2019

The tolerances for coumaphos (measured as coumaphos and its oxygen analog, O,O-diethyl O-3-chloro-4-methyl-2-oxo-2 H-1-benzopyran-7-yl phosphate).

cyfluthrin

CFR: 40:180.436

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10			10	10						10				9/24/2008

Tolerances in or on the raw agricultural commodities listed above are established for residues of the insecticide cyfluthrin and for the isomer, beta-cyfluthrin, cyano(4-fluoro-3-phenoxyphenyl)methyl-3-(2,2-dichloroethenyl)-2,2-dimethyl-cyclopropanecarboxylate [mixture comprising the enantiomeric pair (R)-α-cyano-4-fluoro-3-phenoxybenzyl (1 S, 3 S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (S)-α-cyano-4-fluoro-3-phenoxybenzyl (1 R, 3 R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate with the enantiomeric pair (R)-α-cyano-4-fluoro-3-phenoxybenzyl (1 S, 3 R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (S)-α-cyano-4-fluoro-3-phenoxybenzyl (1 R, 3 S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate].

cypermethrin and isomers

CFR: 40:180.418

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50							50				2/1/2013

cyromazine

CFR: 40:180.414

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50*			50*	50*						250				5/4/2000

*From chicken layer hens and breeder hens only. A tolerance of 5000 parts per billion is established for residues of the insecticide cyromazine, including its metabolites and degradates, in or on poultry feed when used as a feed additive only in feed for chicken layer hens and chicken breeder hens at the rate of not more than 0.01 pound of cyromazine per ton of poultry feed for control of flies in manure of treated chicken layer hens and chicken breeder hens, provided the feeding of cyromazine-treated feed must stop at least 3 days (72 hours) before slaughter. If the feed is formulated by any person other than the end user, the formulator must inform the end user, in writing, of the 3-day (72 hours) pre-slaughter interval. Compliance with the tolerance level specified in this paragraph is to be determined by measuring only cyromazine, N-cyclopropyl-1,3,5-triazine-2,4,6-triamine, in or on the commodity.

deltamethrin and major metabolite(s)

CFR: 40:180.435

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
---------	-----	--------	-------	--------	-----------------	---------------	------	----------	------	----------	-----	-------	------------	-----------------	-----------------

deltamethrin and major metabolite(s)

CFR: 40:180.435

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			20	20						20				10/27/2004

A tolerances is established for the combined residues of the pesticide chemical deltamethrin and its major metabolites.

dicofol

CFR: 40:180.163

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						50			10/31/2016	9/26/2012

Tolerances are established for residues of the insecticide dicofol, including its metabolites and degradates, in or on the commodities above. Compliance with the tolerance levels specified is to be determined by measuring only the sum of p,p-dicofol, 4-chloro-a-(4-chlorophenyl)-a-(trichloromethyl)benzenemethanol, its isomer o,p-dicofol, 2-chloro-a-(4-chlorophenyl)-a-(trichloromethyl)benzenemethanol, and its metabolites 4-chloro-a-(4-chlorophenyl)-a-(dichloromethyl)benzenemethanol and 2-chloro-a-(4-chlorophenyl)-a-(dichloromethyl)benzenemethanol, calculated as the stoichiometric equivalent of p,p-dicofol, 4-chloro-a-(4-chlorophenyl)-a-(trichloromethyl)benzenemethanol, in or on the commodity.

difenoconazole

CFR: 40:180.475

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry											20				6/15/2011

Tolerances in eggs are established for residues of difenoconazole, including its metabolites and degradates, at 20 ppb.

diflubenzuron

CFR: 40:180.377

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			50	80						70				2/12/2016

dimethoate and oxygen analog

CFR: 40:180.204

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry					20						20				9/17/2008

dinotefuran

CFR: 40:180.603

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry					10						10				11/28/2012

Tolerances are established for residues of dinotefuran, (RS)-1-methyl-2-nitro-3-((tetrahydro-3-furanyl)methyl)guanidine, including its metabolites and degradates, in or on the commodities listed above. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of dinotefuran, (RS)-1-methyl-2-nitro-3-((tetrahydro-3-furanyl)methyl)guanidine in or on the commodities listed.

diquat

CFR: 40:180.266

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	50						50				8/1/2007

Tolerances are established for residues of the plant growth regulator and herbicide diquat, (6,7-dihydrodipyrido (1,2-a:2'1'-c)pyrazinediium) derived from application of the dibromide salt and calculated as the cation in or on the food commodities above.

endothall

CFR: 40:180.293

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50		50	50	50						50				11/21/2016

Tolerances are established for the indirect or inadvertent combined residues of the herbicide, endothall (7 - oxabicyclo[2.2.1] heptane-2,3-dicarboxylic acid) in potable water from use of its potassium, sodium, di- N, N-dimethylalkylamine, and mono- N-N, -dimethylalkylamine salts as algicides or herbicides to control aquatic plants in canals, lakes, ponds, and other potable water sources that may lead to endothall residues in or on the commodities above.

erythromycin

CFR: 21:556.230

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Chickens						125					25				7/11/2019

The tolerances for residues of erythromycin is 25 ppb in uncooked eggs and 125 ppb (negligible residue) in uncooked edible tissues of chickens and turkeys.

Turkeys						125					25				7/11/2019
---------	--	--	--	--	--	-----	--	--	--	--	----	--	--	--	-----------

The tolerances for residues of erythromycin is 25 ppb in uncooked eggs and 125 ppb (negligible residue) in uncooked edible tissues of chickens and turkeys.

esfenvalerate

CFR: 40:180.533

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	300		30	30	300						30				4/29/1998

Tolerances are established for the combined residues of the insecticide esfenvalerate, (S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro- α -(1-methylethyl)benzeneacetate, its non-racemic isomer, (R)-cyano(3-phenoxyphenyl)methyl-(R)-4-chloro- α -(1-methylethyl)benzeneacetate and its diastereomers (S)-cyano(3-phenoxyphenyl)methyl-(R)-4-chloro- α -(1-methylethyl)benzeneacetate and (R)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro- α -(1-methylethyl)benzeneacetate, in or on food commodities as listed above.

ethephon

CFR: 40:180.300

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	20		50	10	10						2				6/13/2007

etofenprox

CFR: 40:180.620

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	1000			10	1000	*					400				11/27/2013

A tolerance is established for residues of the insecticide etofenprox, including its metabolites and degradates.
*5000 ppb in all food commodities (including feed commodities) not otherwise listed.

fenbendazole

CFR: 21:556.275

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Chickens			5200								1800				7/11/2019

- **ADI:** 40 μ g/kg bwt/day
- **Target Tissue:** liver
- **Marker Residue:** fenbendazole sulfone

fenbutatin-oxide

CFR: 40:180.362

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
---------	-----	--------	-------	--------	-----------------	---------------	------	----------	------	----------	-----	-------	------------	-----------------	-----------------

fenbutatin-oxide

CFR: 40:180.362

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						100				ages ago

Tolerances are established for residues of the miticide/acaricide fenbutatin-oxide, including its metabolites and degradates, in or on the animal commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only the sum of fenbutatin-oxide, hexakis (2-methyl-2-phenylpropyl) distannoxane, and its organotin metabolites, dihydroxybis(2-methyl-2-phenylpropyl) stannane and 2-methyl-2-phenylpropylstannic acid, calculated as the stoichiometric equivalent of fenbutatin-oxide, in or on the commodity.

fenpropathrin

CFR: 40:180.466

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	50						50			11/15/1997	10/2/1996

fipronil and metabolite(s)

CFR: 40:180.517

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			20	20						30				11/26/1997

flonicamid and metabolite(s)

CFR: 40:180.613

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	30			30	30						40				4/2/2008

fluazifop-butyl

CFR: 40:180.411

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	50						50				ages ago

Tolerances are established for residues of the herbicide fluazifop-P-butyl, including its metabolites and degradates, in or on the commodities above. Compliance with the tolerance levels specified in the table below is to be determined by measuring only the sum of fluazifop-P-butyl, butyl(R)-2-[4-[[5-(trifluoromethyl)-2-pyridinyl]oxy]phenoxy]propanoate, and the free and conjugated forms of the resolved isomer of fluazifop, (R)-2-[4-[[5-(trifluoromethyl)-2-pyridinyl]oxy]phenoxy]propanoic acid, calculated as the stoichiometric equivalent of fluazifop, in or on the commodity.

flubendiamide

CFR: 40:180.639

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	3000		600	100							400				3/23/2011

fluindapyr

CFR: 40:180.716

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10			10	10						10				3/9/2021

fluometuron and metabolite(s)

CFR: 40:180.229

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						100				5/21/2008

fluopyram

CFR: 40:180.661

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10			20	60						30				2/18/2022

Tolerances are established for residues of the fungicide fluopyram, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)benzamide, including its metabolites and degradates. Compliance with the tolerance levels specified above is to be determined by measuring only the sum of fluopyram and its metabolite, 2-(trifluoromethyl)benzamide, calculated as the stoichiometric equivalent of fluopyram, in or on the commodity.

fluorine

CFR: 40:180.145

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry											900000*				12/13/2006

* Egg, dried

flupyradifurone

CFR: 40:180.679

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry											10				1/23/2015

Tolerances are not required for poultry meat and poultry meat byproducts, as the projected diet for poultry and the results of the poultry feeding study indicate that residues are not likely.

fluridone and metabolite(s)

CFR: 40:180.420

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50	100	100	50	50						50				4/27/2011

Tolerances are established for residues of the herbicide fluridone, including its metabolites and degradates, in or on the commodities above. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only fluridone, 1-methyl-3-phenyl-5-(3-(trifluoromethyl)phenyl)-4(1 H)-pyridinone, in or on the commodity.

flutolanil

CFR: 40:180.484

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	50						50				8/16/1995

Tolerances are established for residues of flutolanil, N-(3-(1-methylethoxy) phenyl)-2-(trifluoromethyl)benzamide, including its metabolites and degradates, in or on the commodities above. Compliance with the tolerance levels specified below is to be determined by measuring only flutolanil and its metabolites converted to 2-(trifluoromethyl) benzoic acid and calculated as flutolanil, in or on the commodities.

flutriafol

CFR: 40:180.629

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	20				20						20				2/14/2020

fluxapyroxad

CFR: 40:180.666

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10			10	10						10				5/5/2016

glufosinate ammonium

CFR: 40:180.473

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	150			150	600						150			3/15/1997	12/21/2007

glyphosate and metabolite(s)

CFR: 40:180.364

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry				100	1000						50				12/3/2008

imidacloprid

CFR: 40:180.472

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	50						20				11/30/1994

indoxacarb and metabolite(s)

CFR: 40:180.564

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	200			60	60						200				2/15/2012

inpyrflumax

CFR: 40:180.712

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10			10	10						10				8/26/2020

Tolerances are established for residues of inpyrflumax, including its metabolites and degradates.

iprodione and metabolite(s)

CFR: 40:180.399

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	3500		5000	1000	1000						1500				8/2/1989

lambda-cyhalothrin

CFR: 40:180.438

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	30			10	10						10				11/26/1997

malathion

CFR: 40:180.111

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	4000			4000	4000						100				ages ago

The tolerance level shall not be exceeded in any cut of meat or in any meat byproducts from poultry.

mefentrifluconazole

CFR: 40:180.705

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	15			15	15						10				11/6/2020

metalaxyl and metabolite(s)

CFR: 40:180.408

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	400	400	400	50	50						50				12/17/1997

metconazole

CFR: 40:180.617

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry											40			12/31/2010	8/17/2011

methoxyfenozide

CFR: 40:180.544

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	200**		100.0*	20**	20*						20*				9/20/2002

*Tolerances are established for residues of the insecticide methoxyfenozide, including its metabolites and degradates, in or on the commodities above. Compliance with the tolerance levels specified in the following table is to be determined by measuring only the sum of methoxyfenozide [3-methoxy-2-methylbenzoic acid 2-(3,5-dimethylbenzoyl)-2-(1,1-dimethylethyl) hydrazide] and its glucuronide metabolite (β -D-Glucopyranuronic acid, 3-[[2-(1,1-dimethylethyl)-2-(3,5-dimethylbenzoyl)-hydrazino]carbonyl]-2-methylphenyl-), calculated as the stoichiometric equivalent of methoxyfenozide. **Tolerances are established for residues of the insecticide methoxyfenozide, including its metabolites and degradates, in or on the commodities above. Compliance with the tolerance levels specified in the following table is to be determined by measuring only methoxyfenozide (3-methoxy-2-methylbenzoic acid 2-(3,5-dimethylbenzoyl)-2-(1,1-dimethylethyl) hydrazide) in or on the commodity.

metolachlor and metabolite(s)

CFR: 40:180.368

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	20			20	50						20				9/23/2009

metribuzin and metabolite(s)

CFR: 40:180.332

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	700			700	700						10				12/5/2001

myclobutaniil

CFR: 40:180.443

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	20			20	20						20				8/9/1995

novaluron

CFR: 40:180.598

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	7000	800	800	400	7000						1500				9/9/2011

oxydemetonmethyl

CFR: 40:180.330

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10			10	10						10				9/26/2007

oxyfluorfen and metabolite(s)

CFR: 40:180.381

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	200			10	10						30				9/19/2007

paraquat

CFR: 40:180.205

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry											10				7/21/1999

1999: EPA revokes the tolerances for poultry, fat; meat; and mby in 40 CFR 180.205 because data indicate that no residues are expected.

permethrin and metabolite(s)

CFR: 40:180.378

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	150			50	50						100				6/6/2007

pethoxamid

CFR: 40:180.710

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10			10	10						10				8/12/2020

Tolerances are established for residues of the herbicide pethoxamid, including its metabolites and degradates.

picloram

CFR: 40:180.292

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	50						50				9/29/2010

picoxystrobin

CFR: 40:180.669

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10			10	10						10				12/5/2012

pinoxaden

CFR: 40:180.611

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	60			60	60						60				6/27/2005

piperonyl butoxide

CFR: 40:180.127

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	3000			3000	3000						1000				ages ago

polychlorinated biphenyls (PCB's)

CFR: 21:109.30

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry						See Further Info					See Note				11/6/2001

The temporary tolerances for residues of PCB's are as follows:
 3000 ppb in poultry (fat basis)
 300 ppb in eggs

primisulfuron-methyl

CFR: 40:180.452

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						100				2/22/1989

propanil and metabolite(s)

CFR: 40:180.274

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			100	500						300				9/27/2006

propargite

CFR: 40:180.259

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry											100				9/24/2008

All poultry values, but egg, revoked in 2008.

propham

CFR: 40:180.319

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	500			500	500						500				9/14/2011

While petitions for tolerances for negligible residues are pending and until action is completed on these petitions, interim tolerances are established for residues of isopropyl cabanilate (IPC) in or on the raw agricultural commodities listed above.

propyzamide and metabolite(s)

CFR: 40:180.317

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	20		200	20	20						20				6/6/2007

06/06/07 FR - removed 200 tolerance in kidney

pyraclostrobin

CFR: 40:180.582

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:

pyraclostrobin

CFR: 40:180.582

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						100				7/21/2010

The petitions requested that 40 CFR 180.582 be amended by increasing tolerances for residues of the fungicide pyraclostrobin, by establishing tolerances for poultry.

pyrasulfotole

CFR: 40:180.631

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	20			20	20						20				4/29/2011

pyriproxyfen

CFR: 40:180.510

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						100				11/15/2021

quinclorac

CFR: 40:180.463

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	100						50				2/10/1999

quizalofop ethyl

CFR: 40:180.441

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			20	50						20				6/22/1988

sethoxydim and metabolite(s)

CFR: 40:180.412

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	200			200	2000						2000				9/17/2008

simazine

CFR: 40:180.213

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry											30				12/22/2022

Based on poultry feeding data and MTDB for poultry, EPA determined that there is no reasonable expectation of finite residues of simazine residues of concern in the fat, meat, and meat byproducts of poultry resulting from the feeding of simazine treated commodities.

spinetoram

CFR: 40:180.635

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			40	40						40				10/10/2007

spinosad

CFR: 40:180.495

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	1300			100	200						300				9/30/2010

spirotetramat and metabolite(s)

CFR: 40:180.641

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry					20						20				5/18/2011

sulfoxaflor

CFR: 40:180.668

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	20			100	300						60				7/24/2019

Tolerances are established for residues of the insecticide sulfoxaflor, including its metabolites and degradate.

sulfuryl fluoride

CFR: 40:180.575

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry											See Note				7/15/2005

Egg, dried 1.0

To assure safe use of this pesticide commodities treated with sulfuryl fluoride must be aerated for at least 24 hours prior to entering commerce.

tepraloxydim

CFR: 40:180.573

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	300		1000	200	200						200				8/2/2001

tetrachlorvinphos

CFR: 40:180.252

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	7000		2000	3000	2000						200				8/30/2013

In liver and eggs, no more than 50 ppb; in meat, no more than 3000 ppb; in fat, no more than 7000 ppb is tetrachlorvinphos per se.

tetraconazole

CFR: 40:180.557

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			10	50						20			12/31/2009	8/29/2011

thiobencarb and metabolite(s)

CFR: 40:180.401

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	200			200	200						200				ages ago

triclopyr and metabolite(s)

CFR: 40:180.417

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						50				8/1/2007

trifloxystrobin

CFR: 40:180.555

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	40			40	40						40				6/20/2023

Tolerances are established for residues of trifloxystrobin, including its metabolites and degradates, in or on the commodities above. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of trifloxystrobin, benzeneacetic acid, (E,E)- α -(methoxyimino)-2-[[[1-[3-(trifluoromethyl) phenyl]ethylidene] amino]oxy]methyl]-, methyl ester, and the free form of its acid metabolite CGA-321113, (E,E)-methoxyimino-[2-[1-(3-trifluoromethyl-phenyl)-ethylideneamino]oxymethyl]-phenyl]acetic acid, calculated as the stoichiometric equivalent of trifloxystrobin, in or on the commodity.

triflumizole and metabolite(s)

CFR: 40:180.476

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	50			50	100						50				11/16/1994

trinexapac-ethyl

CFR: 40:180.662

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	10			10	100						10				3/29/2023

tylosin

CFR: 21:556.746

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Chickens	200	200	200	200							200				7/11/2019
• Related Uses: See §§ 520.2640, 522.2640, 558.625, and 558.630															
Turkeys	200	200	200	200							200				7/11/2019

• **Related Uses:** See §§ 520.2640, 522.2640, 558.625, and 558.630

vinclozolin

CFR: 40:180.380

Species	Fat	Kidney	Liver	Muscle	Meat By Product	Edible Tissue	Skin	Skin Fat	Milk	Milk fat	Egg	Honey	Honey Comb	Expiration Date	Last FR Update:
Poultry	100			100	100						50			11/30/2008	12/12/2003